BTIS FILE COPY

818

AD-A222

FOREIGN TECHNOLOGY DIVISION



A COMPOSITION FOR THE FILLING OF GAS-DISCHARGE TUBES

bу

G.I. Kromskiy, A.A. Mak, et al.





Approved for public release; Distribution unlimited.

HUMAN TRANSLATION

FTD-ID(RS)T-0434-90 25 April 1990

MICROFICHE NR: FTD-90-C-000467

A COMPOSITION FOR THE FILLING OF GAS-DISCHARGE TUBES

By: G.I. Kromskiy, A.A. Mak, et al.

English pages: 1


Source: USSR Patent Nr. 431595, 29 August 1972,

pp. 1

Country of origin: USSR

Translated by: John A. Miller Requester: FTD/TTTD/Jacobsen

Approved for public release; Distribution unlimited.



FTD- ID(RS)T-0434-90

Date 25 April

19 90

U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Block	Italic	Transliteration .	Block	Italic	Transliteration
A a	A a	A, a	۲р	Pp	R, r
5 6	5 6	B, b	Сс	Cc	S, s
8 e	B .	V, v	Ττ	7 m	T, t
٦٢	Γ *	G, g	Уу	Уу	V, u
Дц	ДВ	D, d	Фф	Ø	F, f
Еe	E .	Ye, ye; E, e#	Х×	X x	Kh, kh
Ж ж	ж	Zh, zh	Д ц	U u	Ts, ts
Зэ.	3 ,	Z, z	4 4	4 4	Ch, ch
Ии	H u	I, 1.	Щ ,	. W w	Sh, sh
Йй	A a	Y, y	Щщ	Щщ	Sheh, sheh
Н н	KK	K, k	ъъ	3 ,	"
ע ני	ЛА	L, 1	Ыы	LL u	Y, y
A M	Мм	M, m	Ьь	b •	1
Нн	Н н	N, n	Эз	9 ,	E, e
i o	0 •	0, 0	Юю	10 w	Yu, yu
∟ u	Пп	P, p	Яя	Я я	Ya, ya

*ye initially, after vowels, and after ъ, ъ; e elsewhere. When written as ë in Russian, transliterate as yë or ë.

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English	Russian	English	Russian	English
sin	sin	sh	sinh	arc sh	sinh_1
cos	cos	ch	cosh	arc ch	cosh ^l
tg	tan	th	tanh	arc th	tanh 1
ctg	cot	cth	coth	arc cth	coth ¹
sec	sec	sch	sech	arc sch	sech ⁻¹
cosec	csc	csch	csch	arc csch	$csch^{-1}$

Russian	English		
rot	curl		
1g	log		

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

A COMPOSITION FOR THE FILLING OF GAS-DISCHARGE TUBES

G. I. Kromskiy, A. A. Mak, Ye. T. Makhrov, A. A. Shcherbakov

The invention relates to illumination engineering and can be used for the optical pumping of the active medium of quantum generators.

There is known a composition for the filling of gas-discharge tubes which contains vapors of alkali metal and inert gas (e.g., sodium and xenon). Low efficiency is a drawback in tubes with this filler.

The proposed composition for the filling of gas-discharge tubes contains vapors of alkali metal and gaseous krypton. The greatest effect is obtained with the use of a composition which contains 0.1 atm of vapors of sodium and 50 atm of krypton. The efficiency of a tube with this composition exceeds that of the xenon tube by a factor of six.

Subject of the invention

A composition for the filling of gas-discharge tubes which contains an inert medium and vapors of alkali metal is characterized by fact that for the purpose of increasing the efficiency in the tubes as the inert medium is selected krypton at a pressure 50 atm, while the vapors of the alkali metal, in particular sodium, are 0.1 atm.

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

OKENTANAMON	MICROFICHE
C509 BALLISTIC RES LAB	1
C510 RET LABS/AVEADCOM	1
C513 ARRADCOM	1
C535 AVRADCOM/TSARCOM	1
C539 TRASANA	1
Q591 FSTC	4
Q619 MSIC REDSTONE	1
Q008 NTIC	1
E053 HQ USAF/INET	1
E404 AEDC/DOF	1
E408 AFWL	1
E410 AD/IND	1
F429 SD/IND	1
POOS DOR/ISA/DDI	1
P050 CIA/OCR/ADD/SD	2
AFIT/LDE	1
NOIC/OIC-9	1
CCV	1
MIA/HS	1
11X1/CODE 1-309	1
NASA/NST-44	1
NSA/T513/TDL	2
ASD/FTD/TTIA	1
FSL	1